




EURO-NORM **baseline plus**





basicline plus - The Multifunctional Small Parts Store Container

The basicline plus is the new container generation for small parts stores. It offers all the advantages of the versatile basicline Euro standard range while also meeting all the requirements for a modern small parts store container. Its special design makes basicline plus ideal for use in conveyance facilities and automated handling systems.



basicline plus - Plus Points at a Glance!

- + small parts store container suitable for automated handling and conveyance systems
- + available in three different heights
- + with sandwich or miniload base
- + individual container subdivision possible (1/2 down to 1/16)
- + sides optionally with drainage holes for water available
- + fitted with ergonomically shaped handles
- + stability as a result of a strengthened frame and corner construction
- + dimensionally stable and resilient
- + impact resistant and shatterproof
- + little noise on conveyor lines
- + temperature resistant in the range - 20 °C to + 60 °C
- + made from PP-C (polypropylene copolymer)
- + 100 % recyclable



basicline plus - Available with Two Different Bases!

sandwich base

miniload base

Load Capacity up to	Article No.
50 kg	xxxx/xx39xx
35 kg	xxxx/xx32xx



	Outer Dimensions (in mm)	Sides			Bottom		Handgrips		Volume	Weight	Article No.
	Inner Dimensions (in mm)	closed	with drainage holes	with slots for dividers	sandwich base	mini-load base medium	closed handgrips	open handgrips			
	400 x 300 x 270	✓	▪	▪	✓	▪	✓	✓	25.6 l	1,690 g	2746/003900
	367 x 268 x 255	✓	▪	▪	✓	▪	✓	✓	25.6 l	1,690 g	2745/003900
	600 x 400 x 80	✓	▪	▪	✓	▪	✓	✓	11.2 l	1,550 g	0885/003900
	567 x 367 x 65	✓	▪	▪	✓	▪	✓	✓	11.2 l	1,550 g	0885/003900
	600 x 400 x 270	✓	▪	▪	✓	▪	✓	✓	54.4 l	2,630 g	2786/003900
	567 x 367 x 267	✓	▪	▪	✓	▪	✓	✓	54.4 l	2,630 g	2785/003900
	1.200 x 400 x 270	✓	▪	▪	✓	▪	✓	✓	105.2 l	5,400 g	2795/003900
	1.165 x 367 x 251	✓	▪	▪	✓	▪	✓	✓	105.2 l	5,400 g	2795/003900



Optionally slots for dividers

The basicline plus is optionally also available with drainage holes in the side walls.

The container can furthermore be subdivided using dividers that are inserted in slots in the side walls.



Optionally with drainage holes



Maximum Volume in All Variants!

The new containers in the basicline plus series with basic dimensions of 800 x 600 mm offer room for transporting and storing large goods of all kinds. The robust large containers are available in five different heights for various applications.

Their great range of variants makes the containers ideal for use in warehouses, intralogistics and modern production logistics. Depending on the requirements, the large containers are available with various types of base. They can be equipped with diverse extras such as dividers, water drainage holes, a removal opening or a removal flap. For efficient production logistics, the large containers can optionally be delivered with runners, wheels or feet and are easily transportable with a pallet truck or forklift. With the help of the wheels, the containers can additionally also be moved by hand.



basicline plus Large Containers - Pluspoints at a Glance!

- + basic dimensions of 800 x 600 mm for bulky goods
- + five heights of 120 mm, 175 mm, 220 mm, 320 mm and 420 mm for different applications
- + with smooth base, miniload base or sandwich base
- + with completely closed sides or with an opening or a flap on the short side
- + optionally available with water drainage holes
- + individual container subdivision possible (1/2 down to 1/16)
- + available with runners, wheels or feet
- + robust and resilient, but low container weight
- + with closed, ergonomically shaped handles
- + integrated label holders at one short side and one long side
- + temperature-resistant from - 20 °C to + 60 °C
- + made from PP-C (polypropylene copolymer)
- + 100 % recyclable



Ergonomically shaped handles



Opening at the Short Side



Flap at the Short Side



Slots for Dividers and Drainage Holes



Article No.	
sandwich base with plate	xxxxxx/39xx
sandwich base without plate	xxxxxx/36xx
miniload base	xxxxxx/32xx
smooth base	xxxxxx/03xx



Integrated Label Holders at One Short Side and One Long Side




Runners



Wheels



Feet



Outer Dimensions (in mm)	Sides			Bottom				Handgrips				Substructure			Volume	Article No.
Inner Dimensions (in mm)	closed	with drainage holes	with slots for dividers	smooth base, closed	smooth base, closed, with drainage holes	miniload base	sandwich base	closed handgrips, short side	open handgrips, short side	closed handgrips, long side	open handgrips, long side	with runners	with wheels	with feet		

	800 x 600 x 120 767 x 567 x 116	✓	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	▪	49 l	BP8612/0310
	800 x 600 x 175 767 x 567 x 171	✓	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	▪	72 l	BP861H/0310
	800 x 600 x 220 767 x 567 x 216	✓	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	▪	91 l	BP8622/0310
	800 x 600 x 320 767 x 567 x 316 767 x 567 x 297	✓	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	▪	133 l 126 l	BP8632/0310 BP8632/3210
	800 x 600 x 420 767 x 567 x 397	✓	▪	▪	▪	▪	✓	▪	✓	▪	✓	▪	▪	▪	168 l	BP8642/3210



Outer Dimensions (in mm)	Sides		Bottom				Handgrips				Volume	Article No.
Inner Dimensions (in mm)	closed, with an opening at the short side	closed, with a flap at the short side	smooth base, closed	smooth base, closed, with drainage holes	miniload base	sandwich base	closed handgrip, short side	open handgrip, short side	closed handgrips, long side	open handgrips, long side		

Containers with Opening

	800 x 600 x 320 767 x 567 x 297	✓		▪	▪	✓	▪	✓	▪	✓	▪	126 l	BP8632/3230
	800 x 600 x 420 767 x 567 x 397	✓		▪	▪	✓	▪	✓	▪	✓	▪	168 l	BP8642/3230



Containers with Flap

	800 x 600 x 320 767 x 567 x 297		✓	▪	▪	✓	▪	✓	▪	✓	▪	126 l	BP8632/3240
	800 x 600 x 420 767 x 567 x 397		✓	▪	▪	✓	▪	✓	▪	✓	▪	168 l	BP8642/3240



Outer Dimensions (in mm)	Sides				Bottom				Handgrips				Substructure		Volume	Article No.	
Inner Dimensions (in mm)	closed	with drainage holes	with slots for dividers	with an opening at the short side	closed, with a flap at the short side	smooth base, closed	smooth base, closed, with drainage holes	miniload base	sandwich base	closed handgrips, short side	open handgrips, short side	closed handgrips, long side	open handgrips, long side	with runners	with wheels	with feet	


Containers with closed sides

	800 x 600 x 420 767 x 567 x 297	✓	▪	▪	▪	▪	✓	▪	✓	▪	✓	▪	✓			126 l	BP8632/K210
	800 x 600 x 520 767 x 567 x 397	✓	▪	▪	▪	▪	✓	▪	✓	▪	✓	▪	✓			168 l	BP8642/K210

Containers with opening

	800 x 600 x 420 767 x 567 x 297	▪	▪	✓	▪	▪	✓	▪	✓	▪	▪	✓				126 l	BP8632/K230
	800 x 600 x 520 767 x 567 x 397	▪	▪	✓	▪	▪	✓	▪	✓	▪	▪	✓				168 l	BP8642/K230

Containers with flap

	800 x 600 x 420 767 x 567 x 297	▪	▪	✓	▪	▪	✓	▪	✓	▪	▪	✓				126 l	BP8632/K240
	800 x 600 x 520 767 x 567 x 397	▪	▪	✓	▪	▪	✓	▪	✓	▪	▪	✓				168 l	BP8642/K240



Outer Dimensions (in mm)	Sides				Bottom			Handgrips				Substructure		Volume	Article No.		
Inner Dimensions (in mm)	closed	with drainage holes	with slots for dividers	closed, with an opening at the short side	closed, with a flap at the short side	smooth base, closed	smooth base, closed, with drainage holes	miniload base	sandwich base	closed handgrips, short side	open handgrips, short side	closed handgrips, long side	open handgrips, long side	with runners	with wheels	with feet	

Containers with closed sides

	800 x 600 x 460 767 x 567 x 297	✓	▪	▪	▪	▪	▪	✓	▪	✓	▪	✓	▪	✓	126 l	BP8632/R210
	800 x 600 x 560 767 x 567 x 397	✓	▪	▪	▪	▪	▪	✓	▪	✓	▪	✓	▪	✓	168 l	BP8642/R210

Containers with opening

	800 x 600 x 460 767 x 567 x 297	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	✓	126 l	BP8632/R230
	800 x 600 x 560 767 x 567 x 397	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	✓	168 l	BP8642/R230

Containers with flap

	800 x 600 x 460 767 x 567 x 297	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	✓	126 l	BP8632/R240
	800 x 600 x 560 767 x 567 x 397	▪	▪	✓	▪	▪	▪	✓	▪	✓	▪	▪	✓	168 l	BP8642/R240

▪ = Variants are available, but are not continuously in stock



Outer Dimensions (in mm)	Sides				Bottom				Handgrips				Substructure		Volume	Article No.	
Inner Dimensions (in mm)	closed	with drainage holes	with slots for dividers	closed, with an opening at the short side	closed, with a flap at the short side	smooth base, closed	smooth base, closed, with drainage holes	miniload base	sandwich base	closed handgrips, short side	open handgrips, short side	closed handgrips, long side	open handgrips, long side	with runners	with wheels	with feet	



Containers with closed sides

	800 x 600 x 420 767 x 567 x 297	✓	▪	▪	▪	▪	✓	▪	✓	▪	✓	▪	▪	✓	126 l	BP8632/F210
	800 x 600 x 520 767 x 567 x 397	✓	▪	▪	▪	▪	✓	▪	✓	▪	✓	▪	▪	✓	168 l	BP8642/F210

Containers with opening

	800 x 600 x 420 767 x 567 x 297	▪	▪	✓	▪	▪	✓	▪	✓	▪	✓	▪	▪	✓	126 l	BP8632/F230
	800 x 600 x 520 767 x 567 x 397	▪	▪	✓	▪	▪	✓	▪	✓	▪	✓	▪	▪	✓	168 l	BP8642/F230

Containers with flap

	800 x 600 x 420 767 x 567 x 297	▪	▪	✓	▪	▪	✓	▪	✓	▪	✓	▪	▪	✓	126 l	BP8632/F240
	800 x 600 x 520 767 x 567 x 397	▪	▪	✓	▪	▪	✓	▪	✓	▪	✓	▪	▪	✓	168 l	BP8642/F240



	Article	Height Mounted	Entry Width Short Side	Entry Width Long Side	Article No.
	Runners for self-assembly	100 mm	min. 85 mm max. 455 mm	655 mm	ZUBP8600KU0
	Castors for self-assembly: Swivel castor Swivel castor with brake	140 mm 140 mm	435 mm 435 mm	635 mm 635 mm	ZUBP8600RA1 ZUBP8600RA2
	Feet for self-assembly	100 mm	455 mm	655 mm	ZUBP8600FU0
	Flaps for self-assembly: for 320 mm high containers for 420 mm high containers				ZUBP8632KF0 ZUBP8642KF0
	Outer Dimensions (in mm)		Description	Weight	Article No.
	800 x 600		Loose lid, without container	1,280 g	0088
	800 x 600		Hinged lid, supplied unmounted, without container and assembly accessories	1,280 g	0089



bekuplast GmbH · Industriestraße 1 · 49824 Ringe · Germany
+49 5944 9333-0 · info@bekuplast.com · www.bekuplast.com