






EURO-NORM ESD





	Outer Dimensions (in mm)	Sides	Bottom					Handgrips	Volume	Weight	Article No.
	Inner Dimensions (in mm)		smooth base	sandwich base	mini load base light	mini load base medium	mini load base heavy				
	300 x 200 x 120 269 x 169 x 117	✓	✓					✓	4,6 l	475 g	1230/002800 ESD
	400 x 300 x 120 367 x 267 x 116	✓	✓					✓	10 l	1,010 g	1251/000300 ESD
	400 x 300 x 180 367 x 267 x 176	✓	✓					✓	15 l	1,300 g	1851/000300 ESD
	400 x 300 x 220 367 x 267 x 216	✓	✓					✓	20 l	1,450 g	2251/000300 ESD
	600 x 400 x 120 567 x 367 x 116	✓	✓					✓	23 l	1,680 g	1271/000300 ESD
	600 x 400 x 180 567 x 367 x 176	✓	✓					✓	36 l	2,010 g	1871/000300 ESD



	Outer Dimensions (in mm)	Sides	Bottom					Handgrips	Volume	Weight	Article No.
	Inner Dimensions (in mm)		smooth base	sandwich base	mini load base light	mini load base medium	mini load base heavy				
	600 x 400 x 220 567 x 367 x 216	✓	✓	▪	▪	▪	▪	✓	44 l	2,250 g	2271/000300 ESD
	600 x 400 x 270 567 x 367 x 266	✓	✓	▪	▪	▪	▪	✓	54 l	2,680 g	2771/000300 ESD
	600 x 400 x 320 567 x 367 x 316	✓	✓	▪	▪	▪	▪	✓	64 l	3,000 g	3275/000300 ESD
	600 x 400 x 420 567 x 367 x 416			▪	▪	▪	▪	✓	84 l	3,570 g	4271/000300 ESD
	800 x 600 x 220 752 x 552 x 216	✓	✓	▪		▪		✓	82 l	4,850 g	2291/000300 ESD
	800 x 600 x 320 752 x 552 x 316	✓	✓	▪		▪		✓	136 l	6,010 g	3291/000300 ESD



300 x 200 mm	Outer Dimensions (in mm)	Description	Volume	Weight	Article No.
	Inner Dimensions* (in mm)				
	297 x 198 x 147	VDA-R-SLC 3115	5.3 l	630 g	1510/000300
	243 x 162 x 129	ESD			(ESD)
400 x 300 mm	396 x 297 x 147	VDA-R-SLC 4115	10 l	1,400 g	1512/002300
	346 x 265 x 109	ESD			(ESD)
	396 x 297 x 213	VDA-R-SLC 4122	16.2 l	1,800 g	2212/002300
	346 x 265 x 175	ESD			(ESD)
	396 x 297 x 280	VDA-R-SLC 4129	22 l	2,050 g	2812/002300
	346 x 265 x 242	ESD			(ESD)
600 x 400 mm	594 x 396 x 147	VDA-R-SLC 6115	22 l	2,320 g	1513/002300
	544 x 364 x 109	ESD			(ESD)
	594 x 396 x 213	VDA-R-SLC 6122	34.9 l	2,900 g	2213/002300
	544 x 364 x 175	ESD			(ESD)
	594 x 396 x 280	VDA-R-SLC 6129	48 l	3,300 g	2813/002300
	544 x 364 x 242	ESD			(ESD)
					



300 x 200 mm	Outer Dimensions (in mm)	Description	Volume	Weight	Article No.
	Inner Dimensions* (in mm)				
	297 x 198 x 147	VDA-R-SLC 3115	5.3 l	630 g	1510/000300
	243 x 162 x 129	ESD			(ESD)
400 x 300 mm	396 x 297 x 147	VDA-RL-SLC 4047	11.8 l	1,200 g	1512/000300
	345 x 260 x 129	ESD			(ESD)
	396 x 297 x 213	VDA-RL-SLC 4013	17.9 l	1,540 g	2212/000300
	345 x 260 x 195	ESD			(ESD)
	396 x 297 x 280	VDA-RL-SLC 4080	24.1 l	1,880 g	2812/000300
	345 x 260 x 262	ESD			(ESD)
600 x 400 mm	594 x 396 x 147	VDA-RL-SLC 6047	25 l	2,000 g	1513/000300
	544 x 359 x 129	ESD			(ESD)
	594 x 396 x 213	VDA-RL-SLC 6013	38.9 l	2,540 g	2213/000300
	544 x 359 x 195	ESD			(ESD)
	594 x 396 x 280	VDA-RL-SLC 6080	51.9 l	2,950 g	2813/000300
	544 x 359 x 262	ESD			(ESD)
					

*Inner dimensions at base




	Outer Dimensions (in mm)	Description	Weight	Article No.
400 x 300 mm				
	400 x 300	Loose lid, without container	355 g	0078
600 x 400 mm				
	600 x 400	Loose lid, without container	700 g	0077
	Outer Dimensions (in mm)	Description	Weight	Article no.
300 x 200 mm				
	300 x 200	Loose lid, without container	190 g	0070
400 x 300 mm				
	400 x 300	Loose lid, without container	380 g	0075
600 x 400 mm				
	600 x 400	Loose lid, without container	740 g	0085
800 x 600 mm				
	800 x 600	Loose lid, without container	1,420 g	0088



	Outer Dimensions (in mm)	Description	Weight	Article No.
300 x 200 mm	300 x 200	D 31 VDA-SLC ESD	100 g	0072
400 x 300 mm	400 x 300	D 41 VDA-SLC ESD	290 g	0073
600 x 400 mm	600 x 400	D 61 VDA-SLC ESD	745 g	0074

	Outer Dimensions (in mm)	Weight	Article no.
1,200 x 800 mm	1,205 x 805	6,800 g	PAD 1208

1208 H ESD



heavy

Outer Dimensions (in mm)	Description	Base Support			Anti-slip edge			Load Capacity			Weight	Article no.
		3 runners	5 runners	6 runners	without an anti-slip edge	with an anti-slip edge, 6 mm height	with an anti-slip edge, special height in mm	dynamic	static	high rack		
1,200 x 800 x 160	1208 H ESD 6ROR	✓			✓			1,000 kg	4,000 kg	800 kg	17 kg	S 1872002920

• = Variants are available, but are not continuously in stock



bekuplast GmbH · Industriestraße 1 · 49824 Ringe · Germany
+49 5944 9333-0 · info@bekuplast.com · www.bekuplast.com